



2022 PEC Updated Data Element Algorithms


Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




*Life-sustaining treatments include but are not limited to intubation, ventilator support, CPR, transfusion of blood products, dialysis or other forms of renal support, institution of medications to support blood pressure or cardiac function, or a specific surgical, interventional or radiological procedure (e.g. decompressive craniectomy, operation for hemorrhage control, angiography).


Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *The NTDS definition is consistent with the American Psychological Association (APA) DSM 5, 2013. Refer to the APA and/or the TPM/TMD for more information.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Include a diagnosis of microvascular angina, Prinzmetal's angina, stable angina, unstable angina, and variant angina. The NTDS definition is consistent with the American Heart Association (AHA), July 2015.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information





*Examples of commonly prescribed medications that interfere with blood clotting. This list is not all-inclusive. If medication meets the definition criteria and is not included in the list, report *Element Value "1. Yes"*.


Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *The NTDS definition is consistent with the American Society of Hematology, 2015.

 **Some examples of bleeding disorders that affect blood clotting are hemophilia, von Willenbrand Disease, Factor V Leiden. If the bleeding disorder does not cause the patient's blood to clot properly, e.g. sickle cell disease, report *Element Value* "2. No." Consult with the TPM or TMD if questioning a specific diagnosis.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information



Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information





*The NTDS definition is consistent with the World Health Organization (WHO), 2019.

The terms 'chronic bronchitis' and 'emphysema' are included in the COPD diagnosis.


Asthma, diffuse interstitial fibrosis, and/or sarcoidosis are excluded from the NTDS definition.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Include patients with chronic renal failure that was present prior to injury that required renal replacement therapy but were not compliant or declined therapy.


Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




*In lieu of a diagnosis of cirrhosis, documentation of cirrhosis by diagnostic imaging studies or a laparotomy/laparoscopy may be used.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information





 *Congenital anomalies are limited to the listed groups of congenital anomalies. Consult with the TPM or TMD if questioning a specific diagnosis.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Limited to patients who smoked cigarettes. Patients who reported smoking cigars, pipes, or smokeless tobacco are excluded from the NTDS definition.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information





*Limited to patients who were in active chemotherapy treatment for cancer and does not include patients with a distant history of receiving chemotherapy for cancer. Chemotherapy may include, but is not restricted to, oral and parenteral treatment with chemotherapeutic agents for malignancies such as colon, breast, lung, head and neck, and gastrointestinal solid tumors as well as lymphatic and hematopoietic malignancies such as lymphoma, leukemia, and multiple myeloma.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Include patients whose diabetes mellitus required exogenous parenteral insulin or an oral hypoglycemic agent but were non-compliant with treatment.


Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




*Include patients who have cancer that has spread to one or more sites in addition to the primary site AND in whom the presence of multiple metastases indicates the cancer is widespread, fulminant, or near terminal. Another term describing disseminated cancer is “metastatic cancer.”


Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Activities of daily living include bathing, feeding, dressing, toileting, and walking. Consult with the TPM or TMD if questioning a specific pre-injury functional status.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Include patients who were non-compliant with prescribed antihypertensive medication to treat their hypertension.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information





*Consistent with the APA DSM 5, 2013. Refer to the APA and/or the TPM/TMD or behavioral health for more information.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information





Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Consistent with the CDC 2014 Fact Sheet. The term "peripheral vascular disease (PVD)" can be used interchangeably with "PAD."

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




 *Pregnancy must be confirmed by lab, ultrasound, or other diagnostic tool if diagnosis was not documented. This data element must be reported for all records submitted to TQIP, males and females.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information




Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information



! *A few of examples of chronic medical conditions that could require corticosteroids are COPD, asthma, rheumatologic disease, rheumatoid arthritis, and inflammatory bowel disease.

! **Exclude corticosteroids that are administered by inhalation, topically, or rectally. Examples of oral or parenteral steroid medications are prednisone and dexamethasone.

Consistent with the most recent version of the 2022 NTDS Data Dictionary
Refer to complete NTDS definition for additional information



*The NTDS definition is consistent with the American Psychological Association (APA) DSM 5, 2013. Refer to the APA and/or the TPM/TMD for more information.